### SECRET Approved For Release 2000/05/10 ଜଣ୍ଟ RDP78B04560A004500010002-7

PHOTOGRAPHIC INTERPRETATION REPORT

25X1A

### MISSION COVERAGE INDEX

NPIC/R-6/65 January 1965







### NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

SECRET NO FOREIGN DISSEM

GROUP 1 Excluded from automatic downgroding and declassification

### Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010002-7

# WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 798 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

## Approved For Release 2000/05/1@£C@iA-RDP78B04560A004500010002-7

NPIC/R-6/65

### PREFACE

25X1A

THIS MISSION COVERAGE INDEX (MCI) LISTS THE INTELLIGENCE TARGETS IMAGED ON THE PHOTOGRAPHY OF MISSION 5037 DATED 29 DEC 64 AND COVERING CHINA AND NORTH VIETNAM. ITEMS ARE ARRANGED IN THREE SECTIONS --

SECTION I PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVIOUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

SECTION II PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS NAC AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

SECTION III PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTIFIED BUT NOT INTERPRETED.

TARGETS IN EACH SECTION ARE ARRANGED 1) BY COUNTRY, 2) WITHIN THE COUNTRY ACCORDING TO SUBJECT, 3) WITHIN THE SUBJECT BY WAC AREA, AND 4) WITHIN THE WAC AREA BY GEOGRAPHIC COORDINATES IN ASCENDING ORDER. AN EXPLANATION OF COLUMN HEADINGS AND PHOTO

### Approved For Release 2000/05/10SECREA-RDP78B04560A004500010002-7


NPIC/R-6/65

REFERENCES USED IN PRESENTING THE INFORMATION IS CONTAINED IN THE APPENDIX. THE MAP BASE USED (WHEN AVAILABLE) FOR THE DERIVATION OF COORDINATES IN THIS MCI IS THE LATEST EDITION OF THE AMS SERIES L500 AND L509, SCALE 1/250,000, AND THE ATC SERIES 200, SCALE 1/200,000.

THE USER OF THIS MCI IS CAUTIONED THAT THE SCAN OF PHOTOGRAPHY WAS ACCOMPLISHED IN A RELATIVELY SHORT TIME AND OFTEN WITHOUT THE AID OF PRECISE ANALYTICAL AND MENSURAL TECHNIQUES COMMONLY EMPLOYED IN DETAILED PHOTOGRAPHIC ANALYSIS. CONSEQUENTLY, ALTHOUGH THE INFORMATION PRESENTED HEREIN IS ESSENTIALLY ACCURATE, ADDITIONAL, DETAILED ANALYSIS MAY SOMEWHAT ALTER PORTIONS OF THE INFORMATION.

# Approved For Release 2000/05/10 : RDP78B04560A004500010002-7

NPIC/R-6/65



APPROXIMATE TRACK OF MISSION

5037, 29 DECEMBER 1964

Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010002-7 SECTION I THIS SECTION PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVI-OUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

# Approved For Release 2000/05/10 ECQLA-RDP78B04560A004500010002-7

NPIC/R-6/65

	Target	Coordi		WAC	Target	Numbers
L	i di gei	Coordi	mares	WAC	BE	NPIC
	NOTE AAA DEFENSES ARE DIVIDED INTO THREE BASIC CATEGORIES LIGHT (ZPU-2, ZPU-4, 37MM), MEDIUM (57MM, 85MM), AND HEAVY (100MM AND LARGER). WHERE SUCH A CATEGORY CANNOT BE DETERMINED, THE SITE WILL BE LISTED AS A AAA SITE AND THE NUMBER OF GUNS INDICATED (EX. 6-GUN AAA SITE, OCCUPIED/UNOCCUPIED).					
	-CHINA-					
	AIR INSTALLATIONS				25X1A	
)	CHENG-KUNG AIRFIELD  2.5 NM SOUTH OF CHENG-KUNG.  APPROXIMATELY 3,000 X 250 FT NE/SW  CRUSHED ROCK RUNWAY, POSSIBLY SERVICEABLE.  SW END OF RUNWAY IS CROSSED BY ROAD. EXTENSIVE  DRIVER TRAINING FACILITIES OBSERVED ON  BOTH ENDS OF RUNWAY.  AIRCRAFT 1 LIAISON-TYPE.	2451N	1Ø248E	Ø496		4
	KUN-MING AIRFIELD  3.5 NM SE OF KUN-MING.  10,650 X 220 FT NE/SW CONCRETE RUNWAY, SERVICEABLE.  FACILITIES INCLUDE PARALLEL LOOP TAXIWAY TO NW OF RUNWAY WITH 3 CROSSOVER LINKS, PARKING APRONS AT CENTER, AT NE END, AND ALONGSIDE TAXIWAY, DISPERSAL AREA JUST NW OF TAXIWAY, OPERATIONS AREA NW OF RUNWAY, AND POL AREA UNDER CONSTRUCTION NW OF OPERATIONS AREA. THREE OCCUPIED 4-GUN LIGHT AAA SITES OBSERVED	2459N	10244E	Ø496		11-E

25X1D

# Approved For Release 2000/05/10 ECREA-RDP78B04560A004500010002-7

NPIC/R-6/65

	Target	Coordinates	WAC	Target	Numbers
	Target	Coordinates	#AC	BE	NPIC
25X1A 25X1D	ON OLD EAST LOOP TAXIWAY. AIRCRAFT 1 BEAGLE, 9 FAGOT, 18 FRESCO, 6 FAGOT/FRESCO, 1 CRATE, 1 CAB, AND 1 COLT. (SEE ATTACHMENT 1) COMOR TARGET NO			25X1A	
25X1A 25X1D	LU-LIANG AIRFIELD  1.5 NM SW OF LU-LIANG.  APPROXIMATELY 10,000 X 280 FT NE/SW PROBABLY NATURAL SURFACE RUNWAY, APPEARS UNSERVICEABLE. PILES OF AGGREGATE ARE LOCATED ALONG RUNWAY AND IN PARKING APRONS. TWO RUNWAYS NW OF MAIN RUNWAY ARE UNSERVICEABLE. AIRCRAFT NONE OBSERVED. COMOR TARGET NO  MILITARY INSTALLATIONS	2459N 1Ø338E	Ø496		13
25X1D	KUN-MING INFANTRY SCHOOL  6 NM SE OF KUN-MING.  SECURED MILITARY GARRISON CONTAINS 1 LARGE MULTIWING ADMINISTRATION BUILDING, 4 I-SHAPED BARRACKS, 1 MULTIWING BARRACKS, 1 C-SHAPED BARRACKS, 29 ADDITIONAL BARRACKS, 1 AUDITORIUM, 8 MESSHALLS, 14 SUPPORT BUILDINGS, A DRILL FIELD, AND A PROBABLE FIRING RANGE. SEPARATELY SECURED STORAGE AREA IMMEDIATELY NW CONTAINS 8 STORAGE AND 3 ADMINISTRATION/ SUPPORT BUILDINGS.  KUN-MING GENERAL SUPPLY DEPOT	2500N 10247E	Ø496		11-N
	1.2 NM NORTH OF KUN-MING AIRFIELD.	2701N 10244E	2770		11-3

5

# Approved For Release 2000/05/10:CIA-RDP78B04560A004500010002-7

	Target	Coordinate	s WAC	Target	get Numbers	
	rarger	Coordinate	,	BE	NPIC	
25X1D	SECURED AREA CONTAINS 1 LONG WAREHOUSE, 18 STORAGE BUILDINGS, AND 1 C-SHAPED ADMINISTRATION BUILDING. IMMEDIATELY TO THE WEST ARE A MOTOR POOL AND A LARGE CIRCULAR REVETMENT.			057/44	\$ 1	
25X1D	KUN-MING ARMY BKS A HQ ARTY DIV N NW EDGE OF KUN-MING. AREA CONTAINS 47 BARRACKS, 12 ADMINISTRATION BUILDINGS, APPROXIMATELY 3Ø STORAGE/SUPPORT BUILDINGS, AND A LARGE MOTOR POOL. ADJACENT, ASSOCIATED TRAINING AREA TO NORTH AND WEST COVERS APPROXIMATELY 6 SQ MI.	2504N 16	Ø241E Ø496	25X1A	11-⊤	
25X1A 25X1D	CHU-CHING MILITARY AREA IMMEDIATELY NORTH OF CHU-CHING. AREA CONTAINS 4 SEPARATE AREAS WITH A TOTAL A 101 BARRACKS-TYPE BUILDINGS, 20 ADMINISTRATION-TYPE BUILDINGS, 70 SMALL SUPPORT BUILDINGS, AND 12 PROBABLE WAREHOUSE- TYPE BUILDINGS. COMOR TARGET NO	2531N 10	0347E Ø496		2-В	
	KUN-MING RADIO STATION NW 7.2 NM NW OF KUN-MING. A HIGH FREQUENCY COMMUNICATIONS SITE CONTAINS 2 RHOMBIC ANTENNAS, 2 POSSIBLE FISHBONE ANTENNAS, AND APPROXIMATELY 13 OTHER STICK MASTS.	25Ø5N 10	0238E Ø496		11-F1	

# Approved For Release 2000/05/10 ECQLA-RDP78B04560A004500010002-7

NPIC/R-6/65

	Target	Coordinates	WAC	Target	et Numbers	
	l arget	Coordinates	WAC	BE	NPIC	
	CONTROL/SUPPORT AREA CONTAINS 1 LARGE MULTIWING BUILDING AND 8 OTHER BUILDINGS (ONE UNDER CONSTRUCTION).			2.5	,	
25X1D	INDUSTRY					
25X1D	HAI-KOU ARSENAL 356 15 NM SSW OF KUN-MING AND 1 NM NW OF HAI-KOU. ARSENAL CONTAINS 3 LARGE MULTISTORY BUILDINGS WITH MONITOR ROOFS, SEVERAL ASSOCIATED SHOP BUILDINGS, FOOTING FOR 1 BUILDING UNDER CONSTRUCTION, AND NUMEROUS WORKERS QUARTERS.	2449N 1Ø235E	Ø496	25X1A	28-8	
	STORAGE			e <sup>th</sup>		
25X1D	CHENG-KUNG, STORAGE AREA 2 NM NORTH OF CHENG-KUNG. SECURED RAIL-SERVED STORAGE AREA CONTAINS 48 WAREHOUSE-TYPE BUILDINGS AND 5 ADMINISTRATION BUILDINGS.	2455N 1Ø248E	Ø496		4-B	
	URBAN COMPLEXES	Bar Bar				
,	AN-NING COMPLEX TRANSPORTATION AND INDUSTRIAL CENTER, APPROXIMATELY 2.5 SQ MI IN AREA, CONTAINS A STEEL MILL WITH 8 MAJOR BUILDINGS, NUMEROUS	2455N 10229E	Ø496		27-D	
•	MINOR BUILDINGS, AND AN ADJACENT WORKERS HOUSING AREA IN THE SE PORTION OF THE COMPLEX. TWO NM SOUTH OF AN-NING IS A COMMUNICATIONS STATION WITH 2 LATTICE TOWERS, NUMEROUS STICK MASTS, AND ASSOCIATED FACILITIES.	4 				

# Approved For Release 2000/05/10:CIA-RDP78B04560A004500010002-7

NPIC:/R-6/65

[		Coordinates			Target Numbers	
ļ	Target			WAC	BE	NPIC
25X1A 25X1D	KUN-MING COMPLEX MAJOR INDUSTRIAL FACILITIES INCLUDE A CEMENT PLANT (INDUSTRIAL SMOKE EVIDENT), A COPPER REFINERY, A COPPER SMELTER, AND SEVERAL UNIDENTIFIED FABRICATION PLANTS, ALL ON THE NORTH AND WEST SIDES OF THE CITY. TWO LARGE MILITARY DEPOTS ARE LOCATED NEAR THE AIRFIELD AND SEVERAL MILITARY	25Ø4N	1 Ø2 41E	Ø <b>4</b> 96	25X1A	11
25X1A 5X1D	AREAS ARE EVIDENT IN THE CITY COMPLEX.  COMOR TARGET NO  -NORTH VIETNAM-					
	MILITARY INSTALLATIONS  YAN PHAI, BARRACKS AREAS  Ø.7 NM ESE OF YAN SHAI AT UTM WU898637.  AREA CONTAINS 3 SEPARATE BARRACKS AREAS WITH A TOTAL OF 10 BARRACKS-TYPE BUILDINGS, 9 STORAGE BUILDINGS, 1 AMMUNITION STORAGE BUILDING, 3 ADMINISTRATION BUILDINGS, 7 MESSHALLS, AND 10 SUPPORT BUILDINGS.  TRENCHING AND FOXHOLES SCATTERED THROUGHOUT AREA.	2122N	1Ø552E	Ø616		2Ø5-A
25X1D	COT NGANH ARMY BARRACKS WEST ONE NM SW OF COT NGANH AT UTM WJ892677. BARRACKS AND STORAGE AREA CONTAINS 12	2124N	1Ø551E	Ø616		303

# Approved For Release 2000/05/16ECQIA-RDP78B04560A004500010002-7

NPIC/R-6/65

Ĺ	<b>-</b>		w: -	Target Numbers		
1	Target	Coordinates	WAC	BE	NPIC	
5X1D	BARRACKS, 11 STORAGE BUILDINGS, 5 AMMUNITION STORAGE BUILDINGS, 7 ADMINISTRATION BUILDINGS, 3 MESSHALLS, AND 28 SUPPORT BUILDINGS. A PROBABLE RECTANGULAR RESERVOIR UNDER CONSTRUCTION TO THE EAST APPEARS TO BE ASSOCIATED WITH THE AREA. NUMEROUS TRENCHES AND UNOCCUPIED FA POSITIONS OBSERVED SOUTH OF THE AREA.					

9

Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010002-7

### SECTION II

THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS "NAC" AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

# Approved For Release 2000/05/19 ECREA-RDP78B04560A004500010002-7

NPIC/R-6/65

	T4	1	Coordinates WAC			
	Target		, Gillules		BE	NPIC
	-CHINA-					
	MILITARY INSTALLATIONS					
	KUN-MING MILITARY COMPLEX	25Ø3N	1Ø242E	Ø496		11-Z
25X1D						
	ELECTRONICS/COMMUNICATIONS				25X1A	
	AN-NING RADIO COMMUNICATIONS STATION	2453N	10229E	Ø496	Janes Sans	27-B
25X1D					1 20 -	
	INDUSTRY				100	
05)/45	CHIN-NING AREA, INDUSTRIAL COMPLEX	2447N	1Ø235E	Ø496	1 (4)	28
25X1D					1 (0) (0) (0) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	
	CHIN-NING OPT INSTR PLT ARSENAL 298	2447N	1Ø236E	Ø496		28-C
25X1D					,	
	AN-NING IRON AND STEEL PLANT KUN-MING	2454N	1Ø229E	Ø496		27-C
25X1D						
	URBAN COMPLEXES					
25X1A	WEN-SHAN COMPLEX	2322N	10415E	9616		27
25X1A 25X1D	COMOR TARGET NO					
23/10						

Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010002-7 SECTION III THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTIFIED BUT NOT INTERPRETED.

# Approved For Release 2000/05/10/ECQEA-RDP78B04560A004500010002-7

NPIC/R-6/65

	Target	Coo	Coordinates		rdinates WAC		Coordinates   WAC		Target	Numbers
				""	BE	NPIC				
*)										
	-CHINA-									
	ELECTRONICS/COMMUNICATIONS				25X1A					
25X1D	KUN-MING THICK EIGHT HE DF SITE	2455N	10246E	Ø496	25/1/4	11 <del>-</del> 11				
25X1D	KUN-MING RADIO COMMUNICATIONS STATION	2455N	10247E	Ø496		4-A				
	STORAGE									
25X1D	CHENG-KUNG, PROB EXPLOSIVES STORAGE	2454N	1Ø248E	0496		4-C				
	-NORTH VIETNAM-				La Carlos					
	MILITARY INSTALLATIONS									
25X1A 25X1D	HA GIANG MILITARY AREA COMOR TARGET NO	2249N	1Ø459E	Ø616		417				
į.										
,										
	10									

13

### Approved For Release 2000/05/16€€€€4-RDP78B04560A004500010002-7

O FOREIGN DISSEM

NPIC/R-6/65

### **APPENDIX**

### COLUMN HEADINGS

City, Installation--This column contains the name of the city or town nearest the installation, followed by the name of the installation. If the name of the installation is not known, it is titled according to its function. Where appropriate, the city and installation names are followed by a capsule description.

<u>Coordinates</u> -- Coordinates are referenced to the SW corner of the minute square. When the subject installation covers a wide area, coordinates are given for the approximate center of the installation.

 $\underline{WAC}$ --This column provides the World Aeronautical Chart number for that area in which the subject installation is situated.

Installation Numbers--This column is divided into two subcolumns. The first subcolumn lists, when known, the BE installation number assigned to the installation. The second subcolumn lists the installation number assigned by NPIC. Installation numbers, when used to reference an item, should be prefixed by the appropriate WAC number, since installation numbers are repeated from WAC to

WAC. For example, there is an NPIC target number 0499-15-A and an NPIC target number 0498-15-A. In each instance, the NPIC installation number is 15-A, but the installations appear on different WAC charts.

### COMOR TARGET NUMBERS

Target numbers assigned by the Committee on Overhead Reconnaissance (COMOR), when available, are listed directly above the photo reference data.

### PHOTO REFERENCE DATA


The photo reference data indicates the frame(s) on which the installation appears.

### CONDITIONS AFFECTING PHOTOGRAPHY

Following the photo reference data, symbols indicate conditions which affect the appearance of the installation on the photography. The symbols are: C (clear); SC (scattered clouds); HC (heavy clouds); SC-HC (scattered-to-heavy clouds); H (haze); CS (cloud shadow); SD (semi-darkness); O (obliquity); and PQ (poor image quality).

## Approved For Release 2000/05/10, SEGNER DP78B04560A004500010002-7

NPIC/R-6/65 ATTACHMENT 1



KUN-MING AIRFIELD, CHINA

NPIC J-7080 (1/65)

NO FOREIGN DISSE

SECRET NO FOREIGN DISS